



TM33W

Tilttable mitre saw
with upper table

Virutex[®]

Professional solutions

TM33W

Tiltable mitre saw
with upper table

High precision portable tiltable mitre saw. Equipped from factory with a carbide saw blade d. 300 48 Z. Big cutting capacity, up to 160x95 mm or 200x45 mm with the cutting head and base at 0°.



New upper table, more surface for auxiliary works. Cutting capacity adjustable from 0 to 55 mm. Frontal rule for an easy cutting work. Possibility to adapt a fence (optional) for cutting angles (see page 4).




Smooth movement thanks to the new powerful gas buffer.



Equipped with a precision laser for guiding the cut. Automatic switch on when the machine starts. With a on/off switch to disconnect it when working on the upper table.

The laser device is directly assembled on the saw blade, so the laser beam el haz de láser keeps its precision in any cutting position.



Easiness operation:

The gas buffer, soft starting system and the double transmission by belts, without gears noise, grant a high level of comfort and consequently an increase of the cutting precision and the quality of the work to be done.

Safety system:

The TM33W is equipped with a patented saw blade brake, stopping the saw blade few seconds after to switch off the machine, safety system against unintentional switch on, full saw blade protection and nozles for external dust collection.



Electronic circuit protecting the machine against unintentional switch on due to a power supply lack. It also allows the soft start of the machine, without sudden jerks avoiding breakdowns on belts or moto.



New upper table adjustment by cranted system. Gives a precise and smooth adjustment.



Ergonomic handle height adjustable for a more comfortable working position. Special switch protection against the dust.

Easy change of saw blade thanks to the blocking button.
Equipped from factory with a carbide saw blade d. 300 mm 48 Z.

Optional accessories




7246098 Fence.
6446073 Standard dust collector attachment 3.5 m (for upper table)

3345416 Pressers set

3346388 Set of supplements for cuts up to 200 mm (ref. 3346388).
3345470 Set of lateral handles for easy carrying on.

5800100 Movable working table MT58K. Adjustable height up to 4 different levels. It is possible to carry on the MT58K with a mitre saw fixed on its top.



112011EN

Specifications

Input power	1,500 W
No-load speed	3,700/min
Saw blade diameter	300 mm
Lower table guide*	57 mm
Weight	20 kg

* As per EN-61029 standards



Optional saw blades

9040068 For wood, chipboards and plastics. Carbide. Ø 300x20/30x3,1 48z
7240188 For wood, chipboards and plastics. Carbide. Ø 300x30x2,8 48z
9040069 For chipboards, aluminium and plastic profiles. Carbide. Ø 300x30x3,2 72z A.D.0
3340319 For aluminium and plastic profiles. Carbide. Ø 300x30x3,2 96z A.D.neg.
3340190 For varnished mouldings. Carbide. Ø 300x30x2,7 96z Teflon

TM433-WTC

Transportable mitering centre

The TM433-WTC is transportable, equipped with adjustable extensions for long pieces and very practice for working and carrying on. It allows an easy access into lifts and to go up and down stairs. Width 61.5 cm.

Standard equipment

The TM433WTC equippes a carbide saw blade 48Z, 2 lateral extensions for long pieces and 1 AngleCopy TC133R together with the table.



High working comfort when cutting long pieces, thanks to the extensions adjustable on each cutting side.